




REESTYLE LIGHTING

BUREAU VOOR
LICHTARCHITECTUUR

voetbalkantine




TEL: +31 (0)475 550613

FAX: +31 (0)475 550634





WWW.FREESTYLELIGHTING.NL

overzicht



freestyle lighting

gevels



Sfeerfoto's



Voorgevel



lichtplan deel 1



Code 1




Code 2




Code 3



Code 4



Code 9



freestyle lighting


lichtplan deel 3



Code 8



Code 6






idem



idem



idem



freestyle lighting


Code 1 pendelarmatuur




Kleur: hoogglans edelstaal/spiegelglas bedrukt
Lamptype: 28w

kantine

Code 2 pendelarmatuur direct/indirect



Kleur: aluminium
Lamptype: 4x14W




Optie met foto


Code 3 spots



Kleur: geanodiseerd aluminium
Lamptype: 2 x QR 111 max 50W
Inclusief trafo



Code 4 plafondarmatuur



Stofdicht/IP 50


Code 5 pendelarmatuur



Kleur: aluminium met lamellen
Lamptype: TL 28w


Gangen

Code 6 wandarmatuur



Kleur: aluminium
Lamptype: 2x PL 26W
IP 65/ IK 7

Code 7 plafondarmatuur




Montagebalk

Code 8 plafondarmatuur



Kleur: polycarbonaat IP 65
Lamptype: PLL 18W

Code 9 bollard



hoogte: 0,5 m

Pole version of the GANOS surface mounted light fixture (page 114), with this line complete outdoor areas can be realized in one style, different light heads with different polar distributions are available, for surface floor installation (with dowels) or to be inserted in the ground with an anchor as accessory, pole in extruded aluminium coated, base plate in die-cast aluminium coated.

Kleur: antraciet/gesatineerd glas
Lamptype: 2x PL 26W
IP 65/IK 8